



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D205-634-041
Job Sheet 190963



Part No: D205-634-041

Job Qty: 1 pcs

Part Name: Replacement Skidtube with Standard Wearplates Fits LH or RH



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/20/19

Job Tracking No:

Due Date: 3/22/19

Created By: Jesse White

Type: Stock

Description: SIOP

Note: DWG D2580 REV H SHEETS 1,2,3,8 IPP Rev:N 02.08.28 FP was QC5 in Step 27; Added QC5 to Step 30 KJ IPP Rev P 10.02.19 per PAR09-043 EC verified by:DD IPP Rev. O 06.02.28 Added paperwork EC IPP Rev:P 07-07-09 SS Wearplates & Gaskets JLM IPP Rev:Q 10.12.01 as per chg003 DD ver:EC IPP REV:R 12.01.23 AS PER ECN11-684 VERF:EC IPP REV:S 17.12.08 REMOVE GASKET AS PER INTUITIVE INFO DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Skidtubes - Bend - 1	1 pcs		3/22/19	0.00	0.65	Skidtubes - Bend		MG
120	Skidtubes - 2 - B4B	1 pcs		3/22/19	0.00	2.89	Skidtubes - 1 - B4B		
							Skidtubes - 2 - B4B		
							Skidtubes - 3 - B4B		MG
							Skidtubes - 4 - B4B		
							Skidtubes - 5 - B4B		
							Skidtubes - 6 - B4B		
							Skidtubes - 7 - B4B		
130	QC 5	1 pcs		3/22/19	0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		BE
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 42		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
140	Skidtubes - 3 - B4B	1 pcs		3/22/19	0.00	2.89	Skidtubes - 1 - B4B		AD
							Skidtubes - 2 - B4B		

Plex 2/20/19 11:19 AM dart.white.jesse

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042) _____	
Description Work Order Deviation					
Dart Aerospace Ltd. 1270 Aberdeen Street Newbury, OH 45417 USA TEL: 613 632-5200 Email: sales@dartaero.com www.dartaerospace.com DART AEROSPACE Container No: S157516 Part: D205-634-041 Job No: 190963 Serial No/Batch: S157516 Revision: H Inspector: _____ Exp Date: _____ Instructions: TC STC SH90-88 Issue 2, Ref: FAAS16, SR005631					
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		☐ Pressure/Fo ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Incomplete ☐ Drill Holes ☐ Fit/Function			
		Other/Details: _____			

					Skidtubes - 3 - B4B	
					Skidtubes - 4 - B4B	
					Skidtubes - 5 - B4B	BE
					Skidtubes - 6 - B4B	
					Skidtubes - 7 - B4B	
150 QC 10	1 pcs	3/22/19	0.00 0.00	QC 10 - 10		
				QC 10 - 18		
				QC 10 - 24		
				QC 10 - 43		
				QC 10 - 50		
				QC 10 - 58		
				QC 10 - 9		19.03.29
160 QC 5	1 pcs	3/22/19	0.00 0.00	QC 5 - 10		
				QC 5 - 12		
				QC 5 - 17		
				QC 5 - 18		
				QC 5 - 19		
				QC 5 - 22		
				QC 5 - 24		
				QC 5 - 3		
				QC 5 - 42		
				QC 5 - 43		
				QC 5 - 49		
				QC 5 - 51		
				QC 5 - 58		
				QC 5 - 68		
				QC 5 - 9		19.03.29
				QC 5 - 50		
				QC 5 - 30		
170 Handfinish - 1-1 Chemical-B4B	1 pcs	3/22/19	0.00 1.31	Handfinish - 1 - 1 - B4B		
				Handfinish - 1 - 2 - B4B		
				Handfinish - 1 - 3 - B4B		
				Handfinish - 1 - 4 - B4B		
				Handfinish - 1 - 5 - B4B		
				Handfinish - 1 - 6 - B4B		
				Handfinish - 1 - 7 - B4B		
				Handfinish - 1 - 8 - B4B		
				Handfinish - 1 - 9 - B4B		
				Handfinish - 1 - 10 - B4B		D.R 19/03/29
				Handfinish - 1 - 11 - B4B		
				Handfinish - 1 - 12 - B4B		
				Handfinish - 1 - 13 - B4B		
				Handfinish - 1 - 14 - B4B		
				Handfinish - 1 - 15 - B4B		
				Handfinish - 1 - 16 - B4B		
				Handfinish - 1 - 17 - B4B		
				Handfinish - 1 - 18 - B4B		
				Handfinish - 1 - 19 - B4B		
				Handfinish - 1 - 20 - B4B		
				Handfinish - 1 - 21 -		

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

				B4B	
				Handfinish - 1 - 22 - B4B	
180 Powdercoat - 1 White GI(A)-B4B	1 pcs	3/22/19	0.00 0.34	Powdercoat - 1 - B4B	
				Powdercoat - 2 - B4B	
				Powdercoat - 3 - B4B	
				Powdercoat - 4 - B4B	
190 QC 3	1 pcs	3/22/19	0.00 0.00	QC 3 - 10	
				QC 3 - 13	
				QC 3 - 15	
				QC 3 - 17	
				QC 3 - 18	
				QC 3 - 2	
				QC 3 - 26	
				QC 3 - 28	
				QC 3 - 3	
				QC 3 - 30	
				QC 3 - 34	
				QC 3 - 36	
				QC 3 - 41	
				QC 3 - 51	
				QC 3 - 58	
				QC 3 - 59	
				QC 3 - 6	
				QC 3 - 68	
				QC 3 - 9	
200 Handfinish - 4-1-Assembly-B4B	1 pcs	3/22/19	0.00 1.31	Handfinish - 4 - 1 - B4B	
				Handfinish - 4 - 10 - B4B	
				Handfinish - 4 - 11 - B4B	
				Handfinish - 4 - 12 - B4B	
				Handfinish - 4 - 13 - B4B	
				Handfinish - 4 - 14 - B4B	
				Handfinish - 4 - 15 - B4B	
				Handfinish - 4 - 2 - B4B	
				Handfinish - 4 - 3 - B4B	
				Handfinish - 4 - 4 - B4B	
				Handfinish - 4 - 5 - B4B	
				Handfinish - 4 - 6 - B4B	
				Handfinish - 4 - 7 - B4B	
				Handfinish - 4 - 8 - B4B	
				Handfinish - 4 - 9 - B4B	
210 QC 5	1 pcs	3/22/19	0.00 0.00	QC 5 - 10	
				QC 5 - 12	
				QC 5 - 17	
				QC 5 - 18	
				QC 5 - 19	
				QC 5 - 22	
				QC 5 - 24	
				QC 5 - 3	
				QC 5 - 42	
				QC 5 - 43	
				QC 5 - 49	
				QC 5 - 51	
				QC 5 - 58	

BE P-04-1

BEB DAS 59 0-89

BEB 19-04-01

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :		Sequence #:		QTY Affected :		MRB (QSI042)	
Description Work Order Deviation				Disposition			
				Completed By			
				Lead hand / Supervisor			
				QC / QA Coordinator			
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread					
		Other/Details: 2/20 02 08-0					

APR 16 2019

68

9-89

				QC 5 - 68	
				QC 5 - 9	
				QC 5 - 50	
				QC 5 - 30	
220	Packaging 3-1 - Stock - B4B	1	3/22/19	0.00 0.00	Packaging 3 - 1 - B4B
	pcs				Packaging 3 - 2 - B4B
					Packaging 3 - 3 - B4B
					Packaging 3 - 4 - B4B
					Packaging 3 - 5 - B4B
					Packaging 3 - 6 - B4B
					Packaging 3 - 7 - B4B
					Packaging 3 - 8 - B4B
					Packaging 3 - 9 - B4B
					Packaging 3 - 10 - B4B
					Packaging 3 - 11 - B4B
					Packaging 3 - 12 - B4B
					Packaging 3 - 13 - B4B
					Packaging 3 - 14 - B4B
					Packaging 3 - 15 - B4B
					Packaging 3 - 16 - B4B
					Packaging 3 - 17 - B4B
					Packaging 3 - 18 - B4B
					Packaging 3 - 19 - B4B
					Packaging 3 - 20 - B4B
					Packaging 3 - 21 - B4B
					Packaging 3 - 22 - B4B
					Packaging 3 - 23 - B4B
					Packaging 3 - 24 - B4B
					Packaging 3 - 25 - B4B
					Packaging 3 - 26 - B4B
					Packaging 3 - 27 - B4B
					Packaging 3 - 28 - B4B
					Packaging 3 - 29 - B4B
					Packaging 3 - 30 - B4B
					Packaging 3 - 31 - B4B
					Packaging 3 - 32 - B4B
					Packaging 3 - 33 - B4B
					Packaging 3 - 34 - B4B
					Packaging 3 - 35 - B4B
					Packaging 3 - 36 - B4B
225	DC - 1 - B4B	1	3/22/19	0.00 0.00	DC - 1 - B4B
	pcs				DC - 2 - B4B
230	QC 21 - FG	1	3/22/19	0.00 0.00	QC 21 - FG - 21
	pcs				QC 21 - FG - 70
					QC 21 - FG - 53

Part Op 110 - Skid tubes - 1-Bend as per program D2580.C on CNC Bender and Folio 16 2-Cut tubes as per Dwg. D2580 3- scribe
 Descriptions: batch# in aft end of tube

120 - Skid tubes - 1- Deburr ends and remove bending marks 2- Prepare tube for welding as per QSI 004

130 - QC5- Inspect part completeness to step on W/O

140 - Skid tubes 1-Weld step D2576 as per Dwg. D2580 and QSI 004 2-Grind welds on step as per Dwg D2580 3- Insert D4202-1 spacer, swage as per QSI002 and trim/ grind flush per QSI002 and dwg. Hold x-bolt with DT9701 Use tube expander 1/2 x17G to start expansion and finish with 1/2 x 18G to achieve dwg dimension. 4-Drill holes for wearplates using DT 8217 & DT8937, 7.40" from most fwd saddle holes (ref only) Open holes to 19/64", adjust stopper not to hit web. Deburr 5-Drill pilot holes for aft cap using DT 8215 Open holes to 0.208". Deburr 6-Drill pilot holes for Tow ring using DT8091, open to .640" and Deburr

150 - QC10- Inspect visual per QSI004- ground welds

160 - QC5- Inspect part completeness to step on W/O

170 - Chemical Conversion Coat per QSI005 4.1 - Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch and leave fwd cap out of solution.

180 - White Gloss(Ref.4.3.5.1) per QSI005 4.3-Alum START TIME: 8:35 OVEN TEMPERATURE: 320

FINISH TIME: 9:05 M138997

190 - QC3- Inspect Part Finish

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____		Sequence #: _____		QTY Affected : _____		MRB (QSI042)	
Description Work Order Deviation				Disposition			
				Completed By			
				Lead hand / Supervisor			
				QC / QA Coordinator			
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread					
		Other/Details:					

200 - Assemble as per dwg - 1-Install inserts & wearplates as per Dwg. D2580. Use a drop of Sikaflex on insert holes before installing wearplates A/R Sikaflex-291 5163445 Sikaflex expire date: 09/04 2-Coat D2594-3 O' rings with Petroleum Jelly and install on D2594-1 plugs as per Dwg D2580 3-Inspect for foreign object per QSI 024 4-Install 2855 Aft Cap as per Dwg D2580 and seal Fwd Step & Aft Cap with Sikaflex. Clean excess adhesive A/R Sikaflex-291 5163445 Sikaflex expire date: 19/04 5-Wing Walk as per Dwg D2580 and QSI 005 4.4 Batch: 5163430

210 - QC5- Inspect part completeness to step on W/O - Inspect Aft Cap, Fwd Step and Wing Walk of work to Current Step Inspect for Foreign objects per QSI 024

220 - Identify and pack for shipping as per PPPD205-634-041 Location: _____ PPP Rev: _____

225 - Document Control - Photocopy D205-634 bluefile & type labels per PPP D205-634-041 CHG006

230 - QC21- Final Inspection - Work Order Release

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2580-1	205 Bent Tube	1 pcs (1 ea)	110-Skidtubes - Bend - 1	5143098
D2576-3	Step (Machining Detail)	1 pcs (1 ea)	140-Skidtubes - 3 - B4B	5089827
D4202-1	Spacer	20 pcs (20 ea)	140-Skidtubes - 3 - B4B	5135425
ALS7-1032-130	Rivnut	50 Ea (50 ea)	200-Handfinish - 4-1-Assembly-B4B	45x5135096/15x5045668
AN3-5A	Bolt	2 Ea (2 ea)	200-Handfinish - 4-1-Assembly-B4B	5095480
AN3C4A	Bolt	50 Ea (50 ea)	200-Handfinish - 4-1-Assembly-B4B	5152638
D2594-1	Plug	16 pcs (16 ea)	200-Handfinish - 4-1-Assembly-B4B	5133698
D2594-3	O-Ring	16 pcs (16 ea)	200-Handfinish - 4-1-Assembly-B4B	5106795
D2855	Cap	1 pcs (1 ea)	200-Handfinish - 4-1-Assembly-B4B	5066018
D3564-11	Wearplate Aft	1 pcs (1 ea)	200-Handfinish - 4-1-Assembly-B4B	5133742
D3564-13	Wearpad Fwd	1 pcs (1 ea)	200-Handfinish - 4-1-Assembly-B4B	5133757
D3564-5	Wearplate Center	1 pcs (1 ea)	200-Handfinish - 4-1-Assembly-B4B	*5168412
D3564-9	Wearplate Fwd	1 pcs (1 ea)	200-Handfinish - 4-1-Assembly-B4B	*5169725
NAS1149C0332R	Washer	50 Ea (50 ea)	200-Handfinish - 4-1-Assembly-B4B	5148669
NAS1149D0332J	Washer	2 Ea (2 ea)	200-Handfinish - 4-1-Assembly-B4B	5123446
				M.U. 008981

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
110-Skidtubes - Bend - 1	D2580-1	1	7	0
140-Skidtubes - 3 - B4B	D2576-3	1	18	0
	D4202-1	20	883	0
200-Handfinish - 4-1-Assembly-B4B	ALS7-1032-130	50	1,178	0
	AN3-5A	2	371	0
	AN3C4A	50	2,315	0
	D2594-1	16	178	0
	D2594-3	16	182	0
	D2855	1	70	0
	D3564-11	1	15	0
	D3564-13	1	19	0
	D3564-5	1	9	0
	D3564-9	1	9	0
	NAS1149C0332R	50	4,311	0
	NAS1149D0332J	2	2,585	0

Part Specifications

Specifications could not be found.

Plex 2/20/19 11:19 AM dart.white.jesse

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor		
			QC / QA Coordinator		
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

ITEM	QTY	QTY	QTY	QTY	PART NUMBER	DESCRIPTION
1	X				D2580-041	SKIDTUBE ASSEMBLY
2		X			D2580-045	SKIDTUBE ASSEMBLY
3			X		D2580-047	SKIDTUBE ASSEMBLY
4				X	D2580-048	SKIDTUBE ASSEMBLY
20	1	1	1	1	D2500-1-190	EXTRUSION
21		16	16		D2570	BUSHING
22	1	1	1	1	D2578-3	STP
23	4				D2579	SPACER
24	16	16	8	8	D2584-1	PLUG
25	16	16	8	8	D2584-3	O-RING
26	1	1	1	1	D2585	205 WEB
27	1	1	1	1	D2585	AFT CAP
28	1	1	1	1	D3564-5	WEARSHOE
29	1	1	1	1	D3564-6	WEARSHOE
30	1	1	1	1	D3564-11	WEARSHOE
31	1	1	1	1	D3564-13	WEARSHOE
32	20	20	24	24	D4202-1	SPACER
33			1		D4406-041	WEARPLATE ASSEMBLY
34			1		D4406-043	WEARPLATE ASSEMBLY
35				1	D5081-1	FWD WEARPLATE
36			1		D5081-3	AFT WEARPLATE
60	60	60			ALST-1032-130	INSERT
					AKS7-1032-130	AKS7-1032-130
					AKS4-1032-130	AKS4-1032-130
					AKLS-1032-130	AKLS-1032-130
61	60	60			AN3CA4	BOLT
62	2	2	2	2	AN3CA	BOLT
63			8	8	AN4-45A	BOLT
64	60	60			NAS1149C0332R	WASHER (AN980C10L)
65	2	2	2	2	NAS1149D0332J	WASHER (AN980D10L)
66			8	8	MS21042-4	NUT (OR MS21042L4)

GENERAL NOTES:

- MATERIAL: N/A
- FINISH: CHEMICAL CONVERSION PER DART QSI 005 4.1 PRIOR TO INSERTING D2586 WEB POWDER COAT (.045) GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3 POWDER COAT (.045) GREEN SANDTEX (REF 4.3.5.8) PER DART QSI 005 4.4 BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4.
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: NONE
- WEIGHT: D2580-041 = 33.7 lbs
- D2580-045 = 33.7 lbs
- D2580-046 = 45.1 lbs
- D2580-048 = 32.0 lbs
- WELDING PER DART QSI 004.
- INSERT D2586 WEB TO LOCATION SHOWN OFF AFT END OF SKIDTUBE AND BOND WEB INTO OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241 ADHESIVE PER DART QSI 015 BEFORE BENDING. ENSURE HOLES LINE-UP.
- BEND AS A SMOOTH RADIUS STARTING WITH A MAXIMUM REDUCTION OF 0.200 IN DIAMETER IS ALLOWABLE IN THE BENT PORTION OF THE TUBE.
- USE DART DRILL TEMPLATE D78217 & D78837 ONLY FOR D2580-041/045 TO LOCATE AND DRILL .02297 HOLES FOR WEARSHOE INSERTS. INSTALL ALST-1032-130 PER SECTIONS B-B AND F-F (60 PLACES) AFTER FINISH. INSTALL AN3CA BOLTS AND NAS1149C0332R WASHERS WITH SIKAFLEX-241/281.
- INSERT D2584-1 PLUG C/W D2584-3 O-RING IN HOLES MARKED "P" (BOTH SIDES OF TUBE) AFTER FINISH (16 PLACES FOR D2580-041/045 AND 8 PLACES FOR D2580-047/048)
- IT IS ACCEPTABLE TO GRIND A RELIEF IN THE D2856 AFT CAP TO PREVENT INTERFERENCE WITH THE SPACER AT THIS LOCATION

H	SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	17.06.09
G	ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	14.04.09
F	INCORPORATE DCO D2580-E-1 PER PART12-218	13.06.20
E	ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	11.06.21
D	CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	07.04.06
C	REDRAWN, INCLUDED DCO 9084/ 9087	06.06.26
B	AS MANUFACTURED	06.12.02
A	NEW ISSUE	06.08.16
REV.	DESCRIPTION	DATE
DESIGN	DS	
DRAWN	SAD	
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	17.06.09	

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

SHEET : PL DELETE D3566-1/2-13 GASKETS, WEIGHTS UPDATED ACCORDINGLY, SHEETS 2 & 4 PICTORIAL UPDATE FOR REMOVAL OF GASKETS	
ADDED -048, -047 WEIGHT UPDATED PER DSI 9586	
INCORPORATE DCO D2580-E-1 PER PART12-218	
ADD D2580-047 (ZN C4-7) AND D2580-7 (ZN B3-8); INCLUDED DCO D2580-D-1; REFORMATTED DRAWING TO CURRENT STANDARDS; D78217 & D78837 WAS	
CHANGE TO 88 WEARPLATES AND GASKETS, INCLUDE DCO 9124/ 8183	
REDRAWN, INCLUDED DCO 9084/ 9087	
AS MANUFACTURED	
NEW ISSUE	
DESCRIPTION	
DATE	

DATE	17.06.09
DESIGN	DS
DRAWN	SAD
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	17.06.09

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

REV. H
DRAWING NO. D2580
SHEET 1 OF 9
SCALE
205 SKIDTUBE ASSEMBLY
NTS

RELEASED
2017 JUL 05
ECN17-584

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE


NCR No. _____

Route update only ☐


Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐																															
Date : _____		Sequence #: _____		QTY Affected : _____		MRB (QSI042)																													
Description Work Order Deviation				Disposition																															
				Completed By																															
				Lead hand / Supervisor																															
				QC / QA Coordinator																															
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY <table border="0"><tr><td>☐ Pressure/Forced</td><td>☐ Contamination</td><td>☐ Power Loss/Surge</td><td>☐ Positioned Wrong</td></tr><tr><td>☐ Bending</td><td>☐ Misaligned/off center</td><td>☐ Folio/Program</td><td>☐ Outside Tolerance</td></tr><tr><td>☐ Crushing</td><td>☐ BOM/Route</td><td>☐ Grain Direction</td><td>☐ Drawing</td></tr><tr><td>☐ Cracks</td><td>☐ Broken/Damage/Defect</td><td>☐ Weld</td><td>☐ Finish</td></tr><tr><td>☐ Crimp/Kink/Ripple/Wave/Twist</td><td>☐ Incomplete/Unclear Instructions</td><td>☐ Wrong Stock Pulled</td><td>☐ Part Lost/Missing</td></tr><tr><td>☐ Marks/Chatter</td><td>☐ Drill Holes</td><td>☐ Out of Sequence</td><td>☐ Misread</td></tr><tr><td>☐ Mislabeled</td><td>☐ Fit/Function</td><td>☐ Off-set/Set-up</td><td></td></tr></table>						☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong	☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance	☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish	☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing	☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread	☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up	
☐ Pressure/Forced	☐ Contamination	☐ Power Loss/Surge	☐ Positioned Wrong																																
☐ Bending	☐ Misaligned/off center	☐ Folio/Program	☐ Outside Tolerance																																
☐ Crushing	☐ BOM/Route	☐ Grain Direction	☐ Drawing																																
☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Finish																																
☐ Crimp/Kink/Ripple/Wave/Twist	☐ Incomplete/Unclear Instructions	☐ Wrong Stock Pulled	☐ Part Lost/Missing																																
☐ Marks/Chatter	☐ Drill Holes	☐ Out of Sequence	☐ Misread																																
☐ Mislabeled	☐ Fit/Function	☐ Off-set/Set-up																																	
		Other/Details:																																	



DETAIL A
SCALE 5X




SECTION B-B
SCALE 5X



AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (20 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM / GRIND FLUSH PER QSI 002

DETAIL C
SCALE 5X



RELEASED
2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	SAD	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. H
MFG. APPR.	<i>[Signature]</i>	D2580	SHEET 2 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	205 SKIDTUBE ASSEMBLY	NTS
DATE	17.06.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



D2580-1 BENT TUBE
(MAKE FROM D2580-101 TUBE)

RELEASED
2017 JUL 05 4P

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SAD		
CHECKED	<i>[Signature]</i>	DRAWING NO. D2580	REV. H SHEET 3 OF 9
MFG. APPR.	<i>[Signature]</i>	TITLE	SCALE
APPROVED	<i>[Signature]</i>	205 SKIDTUBE ASSEMBLY	NTS
DE APPR.	<i>[Signature]</i>	DATE 17.06.09	
		COPYRIGHT © 1998 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____


Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QS1042)	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor
					QC / QA Coordinator
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					




D2580-045 ASSEMBLY DETAIL

**SECTION K-K
SCALE 5X**




AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. CHAMFER HOLE 0.050 X 45°
2. INSERT D2579 SPACER (4 PLACES)
3. WELD INTO PLACE AND GRIND FLUSH
4. DO NOT C'BORE

**DETAIL E
SCALE 5X**




**SECTION F-F
SCALE 5X**



AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (20 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM/GRIND FLUSH PER QSI 002

**DETAIL G
SCALE 5X**



RELEASED
2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	SAD	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. H
MFG. APPR.	<i>[Signature]</i>	D2580	SHEET 4 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	205 SKIDTUBE ASSEMBLY	NTS
DATE	17.06.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐		DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :		Sequence #:		QTY Affected :		MRB (QSI042)	
Description Work Order Deviation				Disposition			
				Completed By			
				Lead hand / Supervisor			
				QC / QA Coordinator			
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread					
		Other/Details:					



D2580-5 BENT TUBE
(MAKE FROM D2580-101 TUBE)

RELEASED
2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SAD		
CHECKED	<i>[Signature]</i>	DRAWING NO. D2580	REV. H SHEET 5 OF 9
MFG. APPR.	<i>[Signature]</i>	TITLE 205 SKIDTUBE ASSEMBLY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	17.06.09		

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE


NCR No. _____

Route update only ☐


Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date : _____	Sequence #: _____	QTY Affected : _____		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



DETAIL H
SCALE 5X




SECTION I-I
SCALE 5X



AFTER DRILLING AND BENDING ASSEMBLY
PERFORM THE FOLLOWING FOR Ø0.508 HOLES ONLY:
1. INSERT D4202-1 SPACER (24 PLACES)
2. SWAGE TO Ø0.437 X 1.00 DEEP PER QSI 002
3. TRIM/GRIND FLUSH PER QSI 002

DETAIL J
SCALE 5X



RELEASED

2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SAD		
CHECKED	<i>[Signature]</i>	DRAWING NO. D2580	REV. H SHEET 6 OF 9
MFG. APPR.	<i>[Signature]</i>	TITLE 205 SKIDTUBE ASSEMBLY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	17.06.09		

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor
					QC / QA Coordinator
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



D2580-7 BENT TUBE
(MAKE FROM D2580-101 TUBE)

RELEASED
2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SAD		
CHECKED	<i>[Signature]</i>	DRAWING NO. D2580	REV. H SHEET 8 OF 9
MFG. APPR.	<i>[Signature]</i>	TITLE 205 SKIDTUBE ASSEMBLY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	17.06.09		

Entered: _____ Date: _____




WORK ORDER NON-CONFORMANCE / ROUTE UPDATE


NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



D2580-101 TUBE



DETAIL D
SCALE 5X

RELEASED

2017 JUL 05

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SAD		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. H
MFG. APPR.	<i>[Signature]</i>	D2580	SHEET 9 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	205 SKIDTUBE ASSEMBLY	NTS
DATE	17.06.09	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					